

**1. Identification**

**Product Identifier**                      **MAC-88**  
**Other means of identification**  
    **Product code**                            1297  
**Recommended use**                        Tile and grout cleaner.  
**Recommended restrictions**            None.  
**Manufacturer/supplier/distributor/importer information**  
    **Company name**                         Stevenson & Stevenson  
    **Address**                                    617 Buck Hendry Way  
     Stuart, FL 34994  
    **Telephone**                                (772) 232-9992  
**Emergency phone number**            24-hour Emergency                      (800) 535-5053

**2. Hazard(s) Identification**

**Physical hazards**                         Not classified.  
**Health hazards**                            Serious eye damage                        Category 1  
     Skin irritant.                                 Category 3  
     Acute toxicity, oral                         Category 5  
**Environmental hazards**                Not classified.  
**OSHA defined hazards**                None.  
**Label elements**



**Signal word**                                 Danger.  
**Hazard statement**                        Causes serious eye damage.  
     Causes mild skin irritation.  
     May be harmful if swallowed.

**Precautionary statement**  
    **Prevention**                                Wear eye protection/face protection.  
    **Response**                                 Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue Rinsing. Immediately call a POISON CENTER/doctor/medical professional. If skin irritation occurs: Get medical advice/attention. Call a POISON CENTER/doctor/medical professional if you feel unwell.

**Storage**  
**Disposal**

**Hazard(s) not otherwise classified (HNOC)**    None.  
**Supplemental information**            None.

**3. Composition/information on ingredients**

Mixture Component(s)		
Chemical name	CAS number	%
Urea monohydrochloride	506-89-8	20-30
2-butoxyethanol	111-76-2	1-5
Other components below reportable levels		65-100

## 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
<b>Ingestion</b>	Rinse mouth. Get medical attention immediately. Do not induce vomiting.
<b>Most important symptoms/effects, acute and delayed</b>	Dermatitis. Rash. May cause an allergic skin reaction.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> )
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed (hydrogen chloride gas).
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

<b>Personal precautions, protective equipment, and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	<p>This product is miscible in water.</p> <p>Large spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.</p> <p>Small spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.</p>
<b>Environmental precautions</b>	Avoid discharge into areas not consistent with package labeling.

## 7. Handling and storage

**Precautions for safe handling** Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in original tightly closed container. Store away from incompatible materials (see section 10 of the Safety Data Sheet).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-butoxyethanol	PEL	50 ppm

#### US ACGIH Threshold Limit Values

Components	Type	Value
2-butoxyethanol	STEL	20 ppm

### Biological limit values

#### ACGIH Biological Exposure Indices

Components	Value	Determinant	Species	Sampling Time
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** None.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

<b>Physical State</b>	Clear liquid.
<b>Odor</b>	Butyl.
<b>Odor threshold</b>	Not available.
<b>pH</b>	1-2
<b>Melting/freezing point</b>	28.8°F (-1.8°C) estimated.
<b>Initial boiling point and</b>	>212°F (>100°C) estimated.

<b>boiling range</b>	
<b>Flash point</b>	>385°F (>196°C) estimated.
<b>Evaporation rate</b>	Not available.
<b>Flammability</b>	Not available.
<b>Flammability Limits</b>	
<b>Upper</b>	Not available.
<b>Lower</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Specific gravity (water=1)</b>	1.04
<b>Solubility in water</b>	Soluble.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	This product is stable and non-reactive under normal conditions of use.
<b>Chemical stability</b>	Material is stable under normal conditions. Store in a cool dark place.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur
<b>Conditions to avoid</b>	Avoid storage in elevated temperatures.
<b>Incompatible materials</b>	Bases, amines, metals.
<b>Hazardous decomposition products</b>	No hazardous decomposition products occur. In case of fire see section 5.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion</b>	Do not ingest. May be harmful if swallowed.
<b>Inhalation</b>	Expected to be a low inhalation hazard.
<b>Skin contact</b>	Can cause skin irritation with persistent contact.
<b>Eye contact</b>	Causes serious eye damage. Wear appropriate protective clothing (see section 8).
<b>Symptoms related to the physical, chemical, and toxicological characteristics</b>	Dermatitis. Rash. May cause an allergic skin reaction.
<b>Acute toxicity</b>	Not classified.

Product MAC-88 (CAS mixture)		
Exposure Classification	Route and Species	LD <sub>50</sub> /LC <sub>50</sub>
Acute	Oral, rat	4,200 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

<b>Skin corrosion/irritation</b>	Causes mild skin irritation.
<b>Serious eye damage/irritation</b>	Causes serious eye damage.
<b>Respiratory sensitization</b>	Not considered a respiratory sensitizer.
<b>Skin sensitization</b>	Not considered a skin sensitizer.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Not considered a carcinogen.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
Not Listed.

**Reproductive toxicity** No data available.

**Specific target organ toxicity – single exposure** No data available.

**Specific target organ toxicity – repeated exposure** No data available.

**Aspiration hazard** No data available.

## 12. Ecological information

Ecotoxicity		
<b>Product</b> MAC-88 (CAS mixture)		
<b>Aquatic Receptor</b>	<b>Species</b>	<b>LC<sub>50</sub></b>
Fish	Fathead Minnow ( <i>Pimephales promelas</i> )	1,100 mg/L estimated
*Estimates for product may be based on additional component data not shown		

**Persistence and degradability** No data available.

**Bioaccumulative potential** Not data available

**Mobility in soil** No data available.

**Other adverse effects** Product Is not considered environmentally hazardous.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.

**Waste from residues/unused product** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

## 14. Transport information

**DOT**  
Not classified as dangerous goods.

## 15. Regulatory information

**US federal regulations**

**SARA 302 Extremely hazardous substance**  
Not listed.

**SARA 304 Emergency release notification**  
Not listed.

**SARA 311/312 Hazard Categories**  
Immediate Hazard - Yes

Delayed Hazard – No  
 Fire Hazard – No  
 Pressure Hazard – No  
 Reactivity Hazard – No

**SARA 313 (TRI reporting)**

2-butoxyethanol (Glycol Ether Category)

**California Proposition 65**

**California Safe Drinking Water and Toxic Enforcement Act of 1986**

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (3/2020).

**16. Other information, including date of preparation or last revision**

**Issue date** 12/10/2015  
**Revision date** 4/22/2021  
**Version #** 1  
**HMIS® ratings** Health: 1  
 Flammability: 0  
 Physical hazard: 0



**NFPA ratings** Health: 1  
 Flammability: 0  
 Instability: 0



**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information**

General format update: Refine composition table, amend physical data; Update toxicology thresholds and environmental fate information; Text clarification amendments Sections 5,6,8,9 and 12. PPE recommendation updated; California Proposition 65 notice; HMIS and NFPA pictograms added. Upgrade personal protection and environment fate information. Logo update.