

1. Identification

Product Identifier Worx

Other means of identification

Product code SNS-6740

Recommended use Acid cleaner.

Recommended restrictions Professional use only. **Manufacturer/supplier/distributor/importer information**

Company nameStevenson & StevensonAddress617 Buck Hendry Way

Stuart, FL 34994

Telephone (772) 232-9992

Emergency phone number 24-hour Emergency (800) 535-5053

2. Hazard(s) Identification

Physical hazardsCorrosive to metals.Category 1Health hazardsAcute toxicity, oralCategory 4Serious eye damage.Category 1Skin corrosion.Category 1A

None.

Environmental hazards Not classified.

OSHA defined hazards

Label elements

Signal word DANGER

Hazard statement May be corrosive to metals.

May be harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary statement

Prevention Keep only in original container. Do not breathe dusts or mists. Wash skin thoroughly

after handling. Wear protective gloves/protective clothing/eye protection/face

protection.

Response Absorb spillage to prevent material damage. Call a POISON CENTER/doctor/medical

professional if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see section 4 on

the Safety Data Sheet).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek professional medical attention as soon

as possible



Storage Store in corrosive resistant container with a resistant inner lining. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Supplemental information None.

3. Composition/information on ingredients

Mixture Components(s)				
Chemical name	CAS number	%		
Phosphoric Acid	7664-38-2	50-55		
Other components below reportable levels		45-55		

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so.

Immediately call a physician or transport to hospital.

Rinse mouth. Get medical attention immediately. Do not induce vomiting. Ingestion

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Can cause serious eye damage. Can cause burning sensation in affected areas. Shortness of breath, respiratory tract irritation or damage. Hydrochloric acid is extremely destructive to tissues of the mucous membranes and upper respiratory tract, eyes, and skin.

Provide general support measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed (hydrogen chloride gas).

protect themselves. Wash contaminated clothing before reuse. Use with extreme caution.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for

firefighters

Fire-fighting equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

SDS US Material Name: Worx Page 2 of 7



Methods and materials for containment and cleaning up

This product is miscible in water.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the $\,$

SDS

Environmental precautions Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Provide adequate ventilation. Wear appropriate personal protective equipment.

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValuePhosphoric AcidPEL $1 \, \text{mg/m}^3$

US ACGIH Threshold Limit Values

ComponentsTypeValuePhosphoric AcidSTEL3 mg/m³

Biological limit values No information.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.



9. Physical and chemical properties

Appearance

Physical State Clear liquid.
Color Colorless.
Odor Characteristic.
Odor threshold Not available.

pH 0-1

Melting/freezing point 14°F (-10°C) estimated.
Initial boiling point and >212°F (>100°C)

boiling range

Flash point Not applicable.
Evaporation rate Not available.
Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.

Vapor pressure <0.01 mmHg at 77°F (25°C).

Vapor density Not available.

Specific gravity (water=1) 1.38
Solubility in water Soluble.
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

10. Stability and reactivity

ReactivityThis product is stable and non-reactive under normal conditions of use. **Chemical stability**Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid storage in elevated temperatures.

Incompatible materials Bases, amines, metals. DO NOT MIX WITH BLEACH.

Hazardous decomposition

products

No hazardous decomposition products occur. In case of fire see section 5.

11. Toxicological information

Information on likely routes

of exposure

Ingestion Do not ingest. May be harmful if swallowed.

Inhalation Do not inhale. May cause damage to the upper respiratory tract.

Skin contactCan cause severe skin burns.Eye contactCan cause serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning sensation, coughing, wheezing, shortness of breath. Hydrochloric acid is extremely

destructive to mucous membranes and upper respiratory tract, eyes, and skin.

Acute toxicity May be harmful if swallowed.



Product	F-280 Non-Foaming Acid Cleaner (CAS mixture)			
		Route and Species	LC50/LD ₅₀	
Acu	te	Oral, rat	2,420 mg/kg (estimated from reference))	
*Estimates for product may be based on additional component data not shown				

Skin corrosion/irritationCauses severe skin burns.Serious eye damage/Causes serious eye damage.

irritation

Respiratory sensitization Not considered a respiratory sensitizer.

Skin sensitization Not considered a skin sensitizer.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity No data available.

Specific target organ toxicity

May cause damage to the upper respiratory tract with prolonged inhalation.

single exposure

Specific target organ toxicity

No data available.

- repeated exposure

Aspiration hazard No data available.

12. Ecological information

Ecotoxicity				
Product F-280 Non-Foaming Acid Cleaner (CAS mixture)				
Aquatic	Species	LC ₅₀		
Fish	Fathead Minnow	300 mg/L estimated		
*Estimates for product may be based on additional component data not shown				

Persistence and degradability No data available.

Bioaccumulative potential Not data available

Partition coefficient n-octanol/water (log K_{OW})

Not available.

Mobility in soil No data available.

Other adverse effects The pH oh this product may cause it to harm aquatic life.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings even

after container is emptied.

SDS US
Material Name: Worx
Page **5** of **7**



Not intended to be transported in bulk.

14. Transport information

DOT

UN number UN1805

UN proper shipping name Phosphoric acid solution

Transport hazard class(es)

Class 8
Subsidiary risk Packaging group III
Marine pollutant No

Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

DOT



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard - No

SARA 313 (TRI reporting)

Not listed.

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

threshold determination and Safe Harbor notification (3/2021)

16. Other information, including date of preparation or last revision

 Issue date
 5/19/2016

 Revision date
 12/3/2021



Version # HMIS® ratings 2 Health: 3 Flammability: 0 Physical hazard: 0



Acid

NFPA ratings

Health: 3 Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

Change acute oral toxicity category from 5 to 4; Change skin corrosion category from 1 to 1A (definitions); Change DOT shipping name and UN ID (H_3PO_4 only)

Eco-tox data update. General format update, Prop 65 statement; Update toxicology, PPE and environmental fate information; PPE notations; Composition chart update; Physical data update; miscellaneous text corrections; HMIS and NFPA pictograms inserted